

BERGER

made to cut. 1919



Product Catalog

Contents

Our values on the way to 100 years of success ...	03
Hand shears	06
Lopping shears	20
Hedge shears/topiary hedge shear	30
ArboRapid telescopic poles – click system	38
Saws	48
Accessories/knives	56
Displays/sales aids	62
Pictogram glossary	66



BERGER

made to cut. 1919

Our values on the way to 100 years of success ...


>> Brand <<

Behind the BERGER brand are people with ideas and passion for high quality tools.

In close cooperation with professional tool users, we develop innovative products that are always effective in everyday working situations. BERGER is a guarantee for technology that sets benchmarks in ergonomics, cutting power, and durability.

The specialized knowledge of four BERGER generations has been valued in and outside of Germany since 1919. With this expertise, we have also established ourselves as an original equipment manufacturer for large, well-known companies.

BERGER manufactures more than 90 percent of the products in our own company in Wuppertal: Made in Cronenberg.




Made in Cronenberg |  Germany

>> Dependability <<

We value long-term business relationships. Our customers can depend on receiving the best service.

Quick delivery times are a matter of course for us, as are highly profitable POS solutions for various target groups.



>> Quality <<

With our products, quality isn't just a term we throw around – even a family-run company like BERGER must start from scratch every day to achieve quality.

Many test winners demonstrate our high requirements in the development and production of our tools. This is reflected not only in our selection of material, but also in the many useful product details, which speak for themselves.






For example, wear parts are always easy to replace. Comprehensive spare parts supply is a matter of course at BERGER.

>> Complete product range <<

BERGER offers a complete product range of professional tools:

- Hand shears
- Lopping shears
- Hedge shears
- Telescopic poles and attachments
- Handsaws

When developing and manufacturing BERGER products, a high priority for us is long service life.



>> Target groups <<

BERGER develops and produces professional tools for the following industries:

- Garden, landscaping, and municipal maintenance
- Tree maintenance and forestry work
- Construction equipment and materials
- Hardware
- Agriculture, orchard, and vineyard care
- Plant cultivation, sales, and floristry

HAND SHEARS



Sap groove:
Protects the cutting blade
so that it's not sticky



Oil groove:
Enables instant lubrication
by putting oil into the groove
without any dismantling



Intermediate locking mechanism:
Two-step lock position

BERGER




























































made to cut. 1919



The angled cutting head reduces strain on the wrist. While cutting, the tool remains pleasantly balanced in a natural, comfortable position. The revolving handle guarantees maximum ergonomics.







































HAND SHEARS

Range of application

							
Order no.	1010	1014	1100	1110	1114	1104	
Page	11	13	11	11	13	13	
Green waste							
Hard and dead wood							
Landscape							
Wine-growing							
Fruit-growing							
Floristics							
Diameter in mm / inch	25 / 1	25 / 1	25 / 1	25 / 1	25 / 1	25 / 1	
Small hands							
Replaceable blade and counter-blade							
Replaceable blade							
Replaceable counter-blade							
Angled cutting head							
Wire cutting notch							

BERGER

made to cut. 1919

							
	1766	1200	1760	1050	1700	1600	1902
	14	15	15	15	16	15	17
							
							
							
							
							
	25 / 1	25 / 1	25 / 1	20 / 0.75	25 / 1	25 / 1	15 / 0.6
							
							
							

HAND SHEARS

Straight cutting head



Customer satisfaction is a priority to us. We have moved from an utilitarian view of designing our tools, to one that guarantees value-creation and easy-of-use.

Many of our tools have an oil groove for dismantle-free lubrication. Users can exchange the blade and counter-blade without needing any special instrument.



Order no.	Item	EAN-CODE 4006457			
1110	Pruning hand shear Replaceable blade and counter-blade, forged aluminium handles, shock absorber, deep sap groove, wire cutting notch, straight cutting head, intermediate cutting position, ergonomically-designed handles	011107	250 g 8.8 oz	22 cm 8.7 in	6
91006	Blade for no. 1110	910066	40 g 1.2 oz	9,5 cm 3.5 in	1
91005	Counter-blade for no. 1110	910059	65 g 2.1 oz	10 cm 3.5 in	1



Order no.	Item	EAN-CODE 4006457			
1100	Pruning hand shear Replaceable blade and counter-blade, forged aluminium handles, shock absorber, deep sap groove, wire cutting notch, intermediate cutting position, ergonomically-designed handles, suitable for small hands	011008	215 g 7.6 oz	19 cm 7.5 in	6
91008	Blade for no. 1100	910080	35 g 1.2 oz	9 cm 3.5 in	1
91007	Counter-blade for no. 1100	910073	60 g 2.1 oz	9 cm 3.5 in	1



Testsieger

Beste Handschere 5/2016
im Test der Zeitschrift Landidee



Order no.	Item	EAN-CODE 4006457			
1010	Revolving handle shear Force optimization by the revolving handle, replaceable blade and counter-blade, forged aluminum handles, shock absorber, deep sap groove, wire cutting notch, straight cutting head, intermediate cutting position	010100	250 g 8.8 oz	22 cm 8.7 in	6
91006	Blade for no. 1010	910066	40 g 1.4 oz	9,5 cm 3.7 in	1
91005	Counter-blade for no. 1010	910059	65 g 2.3 oz	10 cm 3.9 in	1

HAND SHEARS

Angled cutting head



Our revolving handle shear is a big strain relief. The revolving handle and the angle cutting head balance pressure on wrists. You recognize the difference after working

continuously in the field. Thanks to the intermediate locking position too. It is an added ergonomic feature for more strain-free pruning.



Order no.	Item	EAN-CODE 4006457			
1114	Pruning hand shear Replaceable blade and counter-blade, forged aluminium handles, shock absorber, deep sap groove, wire notch, angled cutting head, intermediate cutting position, ergonomically-designed handles	011145	240 g 8.5 oz	22 cm 8.7 in	6
91002	Blade for no. 1114	910028	40 g 1.4 oz	9,5 cm 3.7 in	1
91001	Counter-blade for no. 1114	910011	65 g 2.3 oz	10 cm 3.9 in	1



Order no.	Item	EAN-CODE 4006457			
1104	Pruning hand shear Replaceable blade and counter-blade, forged aluminium handles, shock absorber, deep sap groove, wire notch, angled cutting head, intermediate cutting position, ergonomically-designed handles	011046	215 g 7.6 oz	18,5 cm 7.3 in	6
91004	Blade for no. 1104	910042	40 g 1.3 oz	9,5 cm 3.3 in	1
91003	Counter-blade for no. 1104	910035	65 g 2.1 oz	10 cm 3.7 in	1



Order no.	Item	EAN-CODE 4006457			
1014	Revolving handle shear Force optimization by the revolving handle, replaceable blade and counter-blade, forged aluminum handles, shock absorber, deep sap groove, wire cutting notch, angled cutting head, intermediate cutting position	010148	250 g 8.8 oz	22 cm 8.7 in	6
91002	Blade for no. 1014	910028	40 g 1.4 oz	9,5 cm 3.7 in	1
91001	Counter-blade for no. 1014	910011	65 g 2.3 oz	10 cm 3.9 in	1

HAND SHEARS

Multi-component handle



Order no.	Item	EAN-CODE 4006457			
1766	Pruning hand shear Forged metal body, counter blade with sap groove, wire cutting notch, straight cutting head, ergonomically-designed and composite-material handle for more ergonomics	017666	240 g 8 oz.	20,5 cm 8 in	6



Ease of maintenance

The use of composite material in different parts of the handle leads to a better grip and more user comfort. The oil groove makes it easy to lubricate the tool without dismantling its parts. There is a closed circuit under the oil groove that ensures no dripping of the oil.



Ergonomics

The use of composite material in different parts of the handle leads to a better grip and more user comfort.






























Additional benefit

There is a notch for cutting smaller-diameter wires placed on the backside of the forged metal body.

HAND SHEARS

Bypass-system for cutting green wood


		    		  	
Order no.	Item	EAN-CODE 4006457			
1200	Pruning hand shear Forged metal body, chromium-plated counter-blade with deep sap groove, replaceable blade, wire cutting notch, ergonomically-designed handle	012005	280 g 9.9 oz	22,5 cm 8.6 in	6
91201	Blade for no. 1200 	912015	30 g 1 oz	8,5 cm 3.3 in	1

		     		   	
Order no.	Item	EAN-CODE 4006457			
1760	Pruning hand shear Forged metal body, chromium-plated cutting head, sap groove, ergonomically-designed handle	017604	245 g 8.6 oz	22 cm 8.6 in	6

		  		  	
Order no.	Item	EAN-CODE 4006457			
1050	Pruning hand shear Forged metal body, sap groove, ergonomically-designed handle	010506	230 g 8.1 oz	22 cm 8.6 in	6

HAND SHEARS

Bypass-system for cutting green wood



Order no.	Item	EAN-CODE 4006457			
1700	Pruning hand shear Forged metal body, cold protective coating to the handle area	017000	290 g 10.9 oz	22 cm 8.6 in	6



Order no.	Item	EAN-CODE 4006457			
1600	Snips Lightweight design and cold protective coating to the handle area	016003	115 g 4.6 oz	19 cm 7.5 in	6



HAND SHEARS

Anvil-system for cutting hard and dead wood



Order no.	Item	EAN-CODE 4006457			
1902	Anvil hand shear Replaceable and anti-adhesive coated blade, pulling cut mechanism, chromiumplated body, ergonomically designed handles	019028	270 g 9.5 oz	19,5 cm 7.7 in	6
91601	Blade for no. 1902 	916013	20 g 0,7 oz	8 cm 7.7 in	1

The anti-stick coating makes the 1902 anvil shears suitable for cutting resinous woods.



HAND SHEARS

Professional and household shears



Order no.	Item	EAN-CODE 4006457			
1330	Wire hand shear Forged metal body, cold-protective, coating, suitable for soft wire	013309	250 g 8.8 oz	20 cm 7.9 in	6



Order no.	Item	EAN-CODE 4006457			
1336	Diagonal cutting plier Forged metal body, cold-protective, coating, with spring to cut hard wire	013361	160 g 5.6 oz	16,5 cm 6.5 in	6



Order no.	Item	EAN-CODE 4006457			
1420	Professional and household shear Suitable for cutting paper, foils and ribbons, adjustable screw, cutting length 7 cm (2.7 in)	014207	45 g 1.6 oz	16,5 cm 6.5 in	6

HAND SHEARS

Professional and household shears



Order no.	Item	EAN-CODE 4006457			
1300	Multi purpose hand shear Blades made of high-grade steel, special toothing for cutting plastic, wire and fine sheet of metal	013002	130 g 4.6 oz	18 cm 7.1 in	6



Order no.	Item	EAN-CODE 4006457			
1430	Multi purpose hand shear Blades made of high-grade steel, special toothing for cutting soft material such as, rope and fabrics, ergonomically designed handle with safety lock	014306	150 g 5.3 oz	22 cm 8.7 in	6



Order no.	Item	EAN-CODE 4006457			
1320	Hose and cable hand shear Special shear made of high grade steel, ergonomically designed handle with safety lock	013200	150 g 5.3 oz	18,5 cm 7.3 in	6

LOPPING SHEARS



Smooth operation, great performance, and yet additional benefits

The counter-blade has forged branch fixing notches that dig into branches. This feature leads to more precise cutting. Most of the lopping shears come with an oil groove for instant and easy lubrication. The counter-blade has a hot-drop forged sap groove for self-cleaning.



Dedicated to every detail





























As from the design, to the manufacturing, to the assembly stage, we go through each one of these with the details in mind. We take considerable engineering measures of our loppers for your best lopping experience. There are different models for different types of wood for different users. The only thing that is constant is quality and cutting precision. Most of our loppers open to an angle of less than 90 degrees for force optimization.

















































We hot-drop forge and grind the cutting heads for the highest cutting precision. Most of the cutting heads have a non-stick coating for clean cuts. Most of the counter-blades have branch fixing notches as an additional measure of force optimization and cutting precision.

Our loppers are easily serviceable, and most of them come with readily available spare parts.

LOPPING SHEARS

Range of Application



					
Order no.	4260	4280	4210	4214	
Page	24	24	25	25	
Green waste					
Hard and dead wood					
Forest					
Landscape					
Fruit-growing					
Diameter in mm / inch	50 / 2	50 / 2	35 / 1,33	35 / 1,33	
Replaceable blade counter-blade					
Replaceable anvil					
Anti-adhesive coating	ANTI STICK	ANTI STICK	ANTI STICK	ANTI STICK	
Force transmission					
Oil groove					

						
4170	4195	4200	4204	4360	4255	4272
26	27	27	27	27	28	29
						
						
						
						
35 / 1,33	25 / 1	25 / 1	25 / 1	25 / 1	40 / 1,5	40 / 1,5
						
						
						



LOPPING SHEARS

Bypass-system with replaceable cutting head



Order no.	Item	EAN-CODE 4006457			
4260	Lopping shear Forged and replaceable blade and counter-blade, counter-blade with branch fixing notches and sap groove, shock absorber with cushion, high-grade aluminum tube with non-slip and comfortable grip hand guard	042606	1530 g 54 oz	68 cm 27.6 in	3
94008	Blade for no. 4260 and no. 4280 	940087	480 g 16.1 oz	32 cm 12.6 in	1
94007	Counter-blade for no. 4260 and no. 4280 	940070	455 g 16.1 oz	32 cm 12.6 in	1



Order no.	Item	EAN-CODE 4006457			
4280	Lopping shear Forged and replaceable blade and counter-blade, counter-blade with branch fixing notches and sap groove, shock absorber with cushion, high-grade aluminum tube with non-slip and comfortable grip hand guard	042804	1730 g 61 oz	83 cm 33.1 in	3
94008	Blade for no. 4260 and no. 4280 	940087	480 g 16.1 oz	32 cm 12.6 in	1
94007	Counter-blade for no. 4260 and no. 4280 	940070	455 g 16.1 oz	32 cm 12.6 in	1



As the blades of bypass pruners glide past one another, they provide a particularly smooth and clean cut. That makes them particularly well suited for cutting green wood. With their thin shearing head, shoots can be cut off right where they sprout.





LOPPING SHEARS

Bypass-system with replaceable cutting head



Order no.	Item	EAN-CODE 4006457			
4210	Lopping shear replaceable blade and counter-blade, drop forged, high-grade aluminum tube with non-slip and comfortable grip hand guard, shock absorbing buffer, total length: 60 cm (23.6 in.); blade length: 9 cm (3.5 in.)	042101	950 g 33.5 oz	60 cm 23.7 in	3
94009	Blade for no. 4210 and no. 4214 	940094	205 g 7.2 oz	21,5 cm 8.5 in	1
94013	Counter-blade for no. 4210 and no. 4214 	940131	211 g 7.4 oz	21,5 cm 8.5 in	1



Order no.	Item	EAN-CODE 4006457			
4214	Lopping shear replaceable blade and counter-blade, drop forged, high-grade aluminum tube with non-slip and comfortable grip hand guard, shock absorbing buffer, total length: 75 cm (29.5 in.); blade length: 9 cm (3.5 in.)	042149	1100 g 38.8 oz	75 cm 29.2 in	3
94009	Blade for no. 4210 nd no. 4214 	940094	205 g 7.2 oz	21,5 cm 8.5 in	1
94013	Counter-blade for no. 4210 and no. 4214 	940131	211 g 7.4 oz	21,5 cm 8.5 in	1

The inside of the blade and counter-blade have closed circuit to adapt oil and other lubricants without any dripping. Thanks to the oil groove which enables users to lubricate the tool without dismantling its parts.



LOPPING SHEARS

Bypass-system with replaceable cutting head



Order no.	Item	EAN-CODE 4006457			
4170	Lopping shear Replaceable blade made of high-grade steel, chromium-plated counter-blade, shock absorber, high-grade aluminum tube with non-slip and comfortable grip hand guard	041708	1230 g 40.7 oz	80 cm 26 in	3
94424	Blade for no. 4170	944245	115 g 4.1 oz	15 cm 5.9 in	1













































The profi-lopping shears for green wood

For easier maintenance, the blade is easily and quickly replaced — just unscrew the central screw and get the blade replaced. The counter-blade has a sap groove, which does not allow plant residues to sit on the blade. The mounted shock absorbing buffer guarantees a comfortable and strain-free pruning.



LOPPING SHEARS

Bypass-system

						      
Order no.	Item	EAN-CODE 4006457				
4195	Lopping shear Blade made of high-grade steel, chromiumplated counter-blade with branch fixing notch, shock absorber, high-grade aluminum tube with non-slip and comfortable grip hand guard	041951	740 g 26.1 oz	46 cm 18.1 in	3	
						      
Order no.	Item	EAN-CODE 4006457				
4200	Lopping shear Blade made of high-grade steel, chromiumplated counter-blade with branch fixing notch, shock absorber, high-grade aluminum tube with non-slip and comfortable grip hand guard	042002	900 g 31.7 oz	60 cm 23.6 in	3	
						      
Order no.	Item	EAN-CODE 4006457				
4204	Lopping shear Blade made of high-grade steel, chromiumplated counter-blade with branch fixing notch, shock absorber, high-grade aluminum tube with non-slip and comfortable grip hand guard	042040	1030 g 36.3 oz	76 cm 29.9 in	3	
						      
Order no.	Item	EAN-CODE 4006457				
4360	Lopping shear Blade made of high-grade steel, counterblade with branch fixing notch, shock absorber, beechwood handle	043603	1230 g 43.4 oz	70 cm 27.6 in	3	

LOPPING SHEARS

Anvil-system with replaceable cutting head



Order no.	Item	EAN-CODE 4006457			
4255	Anvil lopping shear Built-in power transfer mechanism, high-grade steel replaceable cutting head, replaceable counter-blade with a hook	042552	1500 g 52.9 oz	80 cm 31.5 in	3
94453	Blade for no. 4255	944535	172 g 6 oz	17 cm 6.7 in	1
94443	Anvil for no. 4255	944436	120 g 4.2 oz	9,5 cm 3.7 in	1

Cutting head no. 4255



The professional shears for hard and dead wood

The counter-blade with pulling hook clears out intersecting branches



No. 94443:
Anvil for no. 4255

The anti-adhesive coating protects against plant residues and corrosion.



No. 94453:
Blade for no. 4255

Power transfer:

All cutting jobs are made easy due to an inbuilt power transfer. To change the blades, you have to loosen the two nuts, it could not be any easier! All other parts of the cutting head stay tightly screwed together.

LOPPING SHEARS

Anvil-system



Order no.	Item	EAN-CODE 4006457			
4272	Anvil lopping shear For hard dead wood, cutting head made from high-grade steel with anti-adhesive blade, replaceable counter-blade, high-grade aluminium tube with non-slip hand guard	042729	1330 g 47 oz	81 cm 31.9 in	3
94431	Anvil for no. 4272	944313	45 g 1.6 oz	7 cm 2.7 in	1

Anvil shears have better transmission of force, because the blade hits the anvil as it is pulled closed. It is therefore particularly well suited for harder or dead wood and requires less force for cutting.



HEDGE SHEARS



Sap groove prevents blades from sticking

Fine adjustment of blade tension

Sturdy tool of the highest quality

- Self-sharpening blades
- Adjustable blade tension for cutting different hardnesses
- Sturdy connection of cutting head to the beech handles or aluminum tubes with solid metal covering
- Blades are coated to prevent corrosion
- Blades have a sap groove that allows plant residues to flow away from the tool
- Shock absorbers reduce shock to the joints

BERGER

made to cut. 1919




Soft shock absorbers to
reduce strain on the joints




Lightweight hedge shears with
aluminum grips

HEDGE SHEARS




Order no.	Item	EAN-CODE 4006457			
4495	Hedge shear replaceable, corrosion protected, straight blades, replaceable shock-absorbing buffer, high-grade aluminum tube with non-slip and comfortable grip hand guard, two sap grooves, total length 85 cm (33.5 in.), blade length: 24 cm (9.4 in.)	7044952	1100 g 38.8 oz	58 cm 22.8 in	3
94505	Upper blade and screws for no. 4495 	7945051	188 g 6.6 oz	27 cm 10.6 in	1
94506	Lower blade and screws for no. 4495 	7945068	188 g 6.6 oz	27 cm 10.6 in	1



Order no.	Item	EAN-CODE 4006457			
4595	Hedge shear replaceable, corrosion protected, wavy blades, replaceable shock-absorbing buffer, high-grade aluminum tube with non-slip and comfortable grip hand guard, two sap grooves, total length 85 cm (33.5 in.), blade length: 24 cm (9.4 in.)	7045959	1100 g 38.8 oz	58 cm 22.8 in	3
94507	Upper blade and screws for no. 4595 	7945075	175 g 6.1 oz	27 cm 10.6 in	1
94508	Lower blade and screws for no. 4595 	7945082	172 g 6.1 oz	27 cm 10.6 in	1

HEDGE SHEARS



Order no.	Item	EAN-CODE 4006457			
4490	Hedge shear Two sap grooves, chromium-plated straight blades, inbuilt branch cutter, adjustable blade tension, shock-absorbing buffer, length 23,5 cm (9.2 in)	044907	1050 g 37 oz	57 cm 22.4 in	3




Order no.	Item	EAN-CODE 4006457			
4590	Hedge shear Two sap grooves, chromium-plated wavy blades adjustable blade tension, shock-absorbing buffers, length 24 cm (9.4 in)	045904	1010 g 35.6 oz	57 cm 22.4 in	3




HEDGE SHEARS


Topiary hedge shears



Order no.	Item	EAN-CODE 4006457			
2510	Topiary hedge shear Extremely light and handy, perfect for fine topiary, chromium-plated blades with sap groove, adjustable blade tension, shock-absorbing buffer, beechwood handles, blade length 16 cm (6.3 in)	025104	545 g 19.2 oz	46,5 cm 18.3 in	4



Order no.	Item	EAN-CODE 4006457			
2520	Topiary hedge shear Extremely light and handy, perfect for fine topiary, chromium-plated blades with sap groove, adjustable blade tension, shock-absorbing buffer, beechwood handles, blade length 16 cm (6.3 in)	025203	670 g 23.6 oz	60,5 cm 23.8 in	4



Order no.	Item	EAN-CODE 4006457			
4440	Palm-hedge shear Extremely light and handy, perfect for fine topiary, chromium-plated blades with sap groove, adjustable blade tension, shock-absorbing buffer, beechwood handles, blade length 25 cm (8.8 in)	044402	950 g 33.5 oz	83 cm 32.7 in	3




TOPIARY SHEARS

Grass Shears



Order no.	Item	EAN-CODE 4006457			
2100	Grass shear All parts are made of metal, hot-drop forged, chromium-plated, self-sharpening blades, suitable for left and right handed users	021007	355 g 12.5 oz	33 cm 13 in	3



Order no.	Item	EAN-CODE 4006457			
2200	Grass shear All parts are made of metal, anti adhesive coated blades, hot-drop forged, chromium-plated, self-sharpening blades, suitable for left and right handed users	022004	280 g 9.9 oz	30 cm 11.8 in	3

Grass shears in traditional solid quality

All parts are made of metal. Worn parts are easily replaced. With this shear, you will be able to cut a patch of grass or lawn edge where the mower won't reach. It has sap groove to drop off plant residues. Due to the one-hand-thumb lock, the shear is suitable for left and right-hand users.



TOPIARY HEDGE SHEARS

Topiary Shears



Order no.	Item	EAN-CODE 4006457			
27310	Topiary Shear Hot-drop forged, self-sharpening, heat-treated carbon steel blades, soft coating on the handles, soft squeeze action for user comfort, cutting length 14 cm (5.5 in)	273109	250 g 8.8 oz	30,5 cm 12 in	6



Order no.	Item	EAN-CODE 4006457			
27410	Topiary Shear Hot-drop forged, self-sharpening, heat-treated carbon steel blades, soft coating on the handles, soft squeeze action for user comfort, cutting length 14 cm (5.5 in)	274106	285 g 10 oz	30 cm 11.8 in	6

Our red topiary shears have especially coated soft handles.
You feel the comfort with every cut!

Display wall-packaging for topiary shears

Trimming shears can be delivered in environmentally friendly and informative packaging suitable for Point Of Sale display concepts.

Gift-wrapping order no. VP2700 for topiary shears with extra charge

Garden shears are the ideal present for the garden lover — we have designed an attractive gift box that can be attached to the display wall.



TOPIARY HEDGE SHEARS

Sheep Shears / Topiary Shears



Order no.	Item	EAN-CODE 4006457			
2711	Sheep Shear Round spring, hot-drop forged, straight cutting length 14 cm (5.5 in)	027115	250 g 8.8 oz	30,5 cm 13.8 in	6
2712	Sheep Shear Round spring, hot-drop forged, straight cutting length 15,5 cm (6.1 in)	027122	285 g 10 oz	33 cm 13 in	6
2713	Sheep Shear Round spring, hot-drop forged, straight cutting length 16 cm (6.3 in)	027139	360 g 12.7 oz	35 cm 13.8 in	6



Order no.	Item	EAN-CODE 4006457			
2721	Sheep Shear Heart spring, hot-drop forged, straight cutting length 14 cm (5.5 in)	027214	290 g 10.2 oz	30 cm 11.8 in	6
2722	Sheep Shear Heart spring, hot-drop forged, straight cutting length 15,5 cm (6.1 in)	027221	350 g 12.3 oz	32 cm 12.6 in	6
2723	Sheep Shear Heart spring, hot-drop forged, straight cutting length 16,6 cm (6.3 in)	027238	420 g 11.8 oz	34 cm 13.4 in	6

ArboRapid

Telescopic poles – click system

ArboRapid is a click system for telescopic poles that permits tool-free changing of attachments. No more bothersome bolts. The telescopic poles have a collapsed length of only 1.75 m (5.7 ft)– so they can be transported without any problem.

Other advantages of the system:
The tubes of corrosion-resistant aluminum ensure that the poles remain stable even when fully extended. Saw blades can be replaced independently of the socket. The safety locks can be used to adjust the telescopic pole to any desired height. With the Rocket Master from BERGER, the ArboRapid can even be used as a catapult.



75350 (0,83 - 1,40 m / 2.7 ft to 4.6 ft)



75850 (0,83 - 1,90 m / 2.7 ft to 6 ft)



75300 (1,75 - 3,20 m / 5.7 ft to 10.5 ft)




75800 (1,75 - 4,65 m / 5.7 ft to 15.2 ft)



75900 (1,75 - 5,90 m / 5.7 ft to 19.3 ft)

BERGER


made to cut. 1919



Pole saw 63952



Pole saw 63912



Saw sheath 5127 (small) respectively saw sheath 5128 (big)



Pole pruner 5430



Felling hook 5485



Rocket Master 5490



Universal hook 5487



Pole hook 5470

ArboRapid


Telescopic poles



Please note the different clamp sizes matching the pole diameters. The size designations S, M, and L are engraved on the safety lock.

Telescopic poles - click system

The metal lock is made of high-grade quality steel, additionally coated to withstand corrosion. The locking mechanism can be adjusted at any point with two self-locking metal nuts. This ensures perfect fastening.



ArboRapid

Telescopic poles



Order no.	Item	EAN-CODE 4006457			
75300	ArboRapid telescopic pole — two parts innovative click system, solid aluminum tubes, infinitely adjustable from 1,75 m (5.7 ft.) - up to 3,20 m (10.5 ft), enables easy working in heights up to 4,80 m (15,8 ft), optimal transport length of 1,75 m (5.7 ft.)	753007	1600 g 56,4 oz	1,75 m to 3,20 m (5.7 ft to 10.5 ft)	3



Order no.	Item	EAN-CODE 4006457			
75800	ArboRapid telescopic pole — three parts innovative click system, solid aluminum tubes, infinitely adjustable from 1,75 m (5.7 ft.) - up to 4,65 m (15.2 ft), enables easy working in heights up to 6,20 m (20.3 ft), optimal transport length of 1,75 m (5.7 ft.)	758002	2200 g 77,6 oz	1,75 m to 4,65 m (5.7 ft to 15,2 ft)	3


















Order no.	Item	EAN-CODE 4006457			
75900	ArboRapid telescopic pole — four parts innovative click system, solid aluminum tubes, infinitely adjustable from 1,75 m (5.7 ft.) - up to 5,90 m (19.4 ft), enables easy working in heights up to 8 m (26.3 ft), optimal transport length of 1,75 m (5.7 ft.)	759009	3200 g 113 oz	1,75 m to 5,90 m (5.7 ft to 19.4 ft)	3



Order no.	Item	EAN-CODE 4006457			
75007	ArboRapid extension pole Length 1.70 m (5.6 ft), suitable for all ArboRapid telescopic poles	750075	650 g 22.9 oz	1,70 m 5.6 ft	1

ArboRapid

Telescopic poles

<div>      </div>					
Order no.	Item	EAN-CODE 4006457			
75350	ArboRapid telescopic pole — two parts Solid aluminum tubes, non-sectional, click system for quickly exchanging pruning tools, full-metal locking system, metal ring for easy clipping on belts, standing height 0,86 m - 1,40 m (2.7 ft to 4.6 ft)	753503	870 g 30.7 oz	0,86 m to 1,40 m (2.7 ft to 4.6 ft)	3
<div>     </div>					
Order no.	Item	EAN-CODE 4006457			
75850	ArboRapid telescopic pole — three parts Solid aluminum tubes, non-sectional, click system for quickly exchanging pruning tools, full-metal locking system, metal ring for easy clipping on belts, standing height 0,86 m - 1,90 m (2.7 ft to 6 ft)	748507	1190 g 42 oz	0,86 m to 1,90 m (2.7 ft to 6 ft)	3



ArboRapid

Rocket Master



Order no.	Item	EAN-CODE 4006457			
5490	ArboRapid Rocket Master Catapult as attachment for ArboRapid telescopic poles, metal fork, elastic rubber straps, screw-on metal connector, throw weight bag, maximum possible throwing height up to 40 m (131 ft) , maximum load of the throw weight bag 400 g/ 14.1 oz	054906	1100 g	58 cm	3
549002	Elastic rubber straps pairs	054913	135 g (x2) 4.8 oz	58 cm 22.8 in	1
549003	Throw weight bag	054920	39 g 1.4 oz	28 cm 11 in	1
549004	Caps for elastic rubber strap connection, pairs	038264	2,5 g (x2) 0,08 oz	2 cm 0.8 in	2

The Rocket Master ist especially designed for arborists. It can be clicked onto any ArboRapid telescopic pole in seconds. A line attached to the throw weight bag can thus be catapulted over the forks of branches high into the air.

The stability and quality of the Rocket Master meet the high standards of BERGER, so that you will be able to enjoy your tool for a long time.



ArboRapid

Attachment saws (7.5 teeth per 3 cm / 1,2 in)



Order no.	Item	EAN-CODE 4006457			
63812	ArboRapid pole saw 33 cm Pull-stroke mechanism, metal ferrule, hard chromium-plated, high performance saw blade (Japanese shape; 33 cm/13 in), impulse hardened tips, suitable for all ArboRapid telescopic poles	638120	260 g 9.2 oz	51 cm 20 in	5
93912	Blade for pole saw no. 63812 and no. 63912	939128	123 g 4.3 oz	33 cm 13 in	1



SET

Order no.	Item	EAN-CODE 4006457			
63813	Set consisting of pole saw no. 63812 and sheath no. 5127	638137	500 g 17.6 oz	54,5 cm 21.5 in	5



Order no.	Item	EAN-CODE 4006457			
63912	ArboRapid pole saw Pull-stroke mechanism, metal ferrule, hard chromium-plated, high performance saw blade (Japanese shape; 33 cm/13 in), impulse hardened tips, bark cutter, branch hook, suitable for all ArboRapid telescopic poles	639127	295 g 10.4 oz	51 cm 20 in	5
93912	Blade for pole saw no. 63812 and no. 63912	939128	123 g 4.3 oz	33 cm 13 in	1







SET

Order no.	Item	EAN-CODE 4006457			
63913	Set consisting of pole saw no. 63912 and sheath no. 5127	639134	530 g 18.7 oz	55 cm 21.7 in	5

ArboRapid

Attachment saws (7.5 teeth per 3 cm / 1,2 in)






Order no.	Item	EAN-CODE 4006457			
63952	ArboRapid Pole saw Pull-stroke mechanism, metal ferrule, hard chromium-plated, high performance saw blade (Japanese shape; 40 cm/15,7 in), impulse hardened tips, bark cutter, branch hook, skip grooves for green wood, suitable for all ArboRapid telescopic poles	639523	365 g 12.9 oz	57,5 cm 22.6 in	5
93952	Blade for pole saw no. 63592 	939524	231 g 8.1 oz	40 cm 15.7 in	1



SET



Order no.	Item	EAN-CODE 4006457			
63953	Set consisting of pole saw no. 63952 and sheath no. 5128	639530	760 g 26.8 oz	70 cm 27.6 in	5



ArboRapid

Pole pruner and felling hook — click system



Order no.	Item	EAN-CODE 4006457			
5430	ArboRapid pole pruner The three-level ratchet ensures precise and effortless cuts, teflon-coated blade for clean cuts, cutting diameter up to 50 mm (2 in.), suitable for all Berger telescopic poles	054302	1195 g 42.2 oz	49 cm 19.2 in	4



The ArboRapid felling hook can be clipped on with just one click onto the telescopic pole. It serves as an aid when felling a tree with branches that are difficult to access. You can also pick driftwood out of the water with it.



Order no.	Item	EAN-CODE 4006457			
5485	ArboRapid felling hook Made from solid aluminium, control the felling of large branches and support the felling of weak trees, additional spikes on the inner side, inner diameter: 200 mm (7.9 in), max. capacity: 13 kN, 1.3 tons, suitable for all ArboRapid telescopic poles Attention: Only use ropes of at least the same capacity! Telescopic handle is not included.	054852	1700 g 60 oz	55 cm 21.7 in	1

ArboRapid

Extension poles and pole hook — click system



Order no.	Item	EAN-CODE 4006457			
5470	ArboRapid pole hook Easily-mounted pole hook, made of high-quality aluminum, suitable for all ArboRapid telescopic poles	054708	130 g 4.6 oz	18,5 cm 7.3 in	1



Order no.	Item	EAN-CODE 4006457			
5487	ArboRapid universal hook Hook made of high quality aluminum, perfect for pushing, pulling and removing dead wood, suitable for all ArboRapid telescopic poles	054876	300 g 10.6 oz	27 cm 10.6 in	1



Order no.	Item	EAN-CODE 4006457			
5472	ArboRapid metal ferrule without saw blade	054722	125 g 4.4 oz	18 cm 7.1 in	1

SAWS



**Cut-out saw blade for
folding and garden saws**



Additional impulse treatment on the tip of each tooth ensures longer durability of the saw blade.



**Cut-out saw blade for
no. 61510 und no. 61952**







Additional skipgroove for green and soft wood.





SAWS

Pruning saw with general purpose teeth (7.5 teeth per 3 cm / 1,2 in)







Order no.	Item	EAN-CODE 4006457			
64740	Hand saw Pull-stroke mechanism, replaceable straight blade (Japanese shape; 24 cm/9,4 in), hard chromiumplated, impulse hardened tips, ergonomic handle, comes with scabbard (7.5 teeth per 3 cm /1,2 in)	647405	315 g 11.1 oz	45 cm 17.7 in	6
96740	Replaceable saw-blade for no. 64740 	967404	60 g 2.1 oz	24 cm 9.5 in	1



Order no.	Item	EAN-CODE 4006457			
64750	Hand saw Pull-stroke mechanism, replaceable straight blade (Japanese shape; 30 cm/12 in), hard chromiumplated, impulse hardened tips, ergonomic handle, comes with scabbard (7.5 teeth per 3 cm/1,2 in)	647504	350 g 12 oz	51,5 cm 20.3 in	6
96750	Replaceable saw-blade for no. 64750 	967503	90 g 3.2 oz	30 cm 12 in	1



Order no.	Item	EAN-CODE 4006457			
64850	Hand saw Pull-stroke mechanism, replaceable curved blade (Japanese shape; 33 cm/13 in), hard chromiumplated, impulse hardened tips, ergonomic handle, comes with scabbard (7.5 teeth per 3 cm/1,2 in)	648501	400 g 14 oz	54,5 cm 21.5 in	5
96850	Replaceable saw-blade for no. 64850 	968500	125 g 4.4 oz	33 cm 13 in	1

SAWS

Pruning saw with general purpose teeth (7.5 teeth per 3 cm / 1,2 in)



Order no.	Item	EAN-CODE 4006457			
64650	Folding saw Pull-stroke mechanism, replaceable straight blade (Japanese shape; 18 cm/7 in), hard chromium-plated, impulse hardened tips, ergonomic handle (7.5 teeth per 3 cm/1,2 in)	646507	195 g 6.9 oz	23 cm 9 in	6
96650	Replaceable saw-blade for no. 64650	966506	40 g 1.4 oz	18 cm 7 in	1



Order no.	Item	EAN-CODE 4006457			
64670	Folding saw Pull-stroke mechanism, replaceable straight blade (Japanese shape, 24 cm/9.4 in), hard chromium-plated, impulse hardened tips, ergonomic handle (7.5 teeth per 3 cm/1,2 in)	646705	270 g 9.5 oz	28,5 cm 11.2 in	6
96670	Replaceable saw-blade for no. 64670	966704	56 g 2 oz	24 cm 9.5 in	1

SAWS

Fruit saw with sheath/Folding saw for fruit trees with fine teeth (13 teeth per 3 cm / 1,2 in)



The fine teeth of the saw are ideally suited for cutting green wood. The triple-ground, impulse-hardened saw tooth tips work only on the pull stroke and glide through the branch with minimal resistance.

This permits a precise, clean cut, minimizing wound surfaces at the cut to reduce the risk of fungal or bacterial attack.




Furthermore, the offset saw teeth keep the saw from getting stuck during the cutting process.






SAWS

Fruit saw with sheath/Folding saw for fruit trees with fine teeth (13 teeth per 3 cm / 1,2 in)



Order no.	Item	EAN-CODE 4006457			
64730	Fruit tree saw Pull-stroke mechanism, replaceable straight blade (Japanese shape; 24 cm/9.5 in), hard chromiumplated, impulse hardened tips, fine toothing for hard wood, ergonomic handle, comes with scabbard (13 teeth per 3 cm/1,2 in)	647306	300 g 10.6 oz	45 cm 17.7 in	6
94730	Replaceable saw-blade for no. 64730	947307	50 g 1.7 oz	24 cm 9.5 in	1
















Order no.	Item	EAN-CODE 4006457			
64660	Folding fruit tree saw Pull-stroke mechanism, replaceable straight blade (Japanese shape; 18 cm/7 in), hard chromium-plated, impulse hardened tips, ergonomic handle, fine toothing for hard wood (13 teeth per 3 cm/1,2 in)	646606	185 g 6.5 oz	23 cm 9 in	6
94660	Replaceable saw-blade for no. 64660	946607	25 g 0.9 oz	18 cm 7 in	1

SAWS

Pruning saw





			   	 	
Order no.	Item	EAN-CODE 4006457			
61510	Pruning saw Pull-stroke mechanism, replaceable curved blade (Japanese shape), skip grooves for green wood, hard chromium-plated, impulse hardened tips, beechwood handle, blade length 33 cm (13in), (7,5 teeth per 3cm/1,2 in)	615107	275 g 9.7 oz	51 cm 20 in	5
96510	Replaceable saw-blade for no. 61510 	965103	135 g 4.8 oz	33 cm 13 in	1
62510	Set consisting of handsaw 61510 and sheath 5127 	625106	495 g 17.5 oz	52 cm 20.5 in	5

		   	 		
Order no.	Item	EAN-CODE 4006457			
61512	Pruning saw Pull-stroke mechanism, replaceable curved blade (Japanese shape), hard chromium-plated, impulse hardened tips, beechwood handle, blade length 33 cm (13 in) (7,5 teeth per 3 cm/1,2 in)	615121	255 g 9 oz	51 cm 20.1 in	5
96512	Replaceable saw-blade for no. 61512 	965127	135 g 4.8 oz	33 cm 13 in	1
62512	Set consisting of handsaw 61512 and sheath 5127  	625120	505 g 17.8 oz	52 cm 20.5 in	5


SAWS

Pruning saw



Order no.	Item	EAN-CODE 4006457			
69042	Pruning saw Pull-stroke mechanism, with beechwood handle, aluminium safety lever, 360° replaceable and rotatable blade, skip grooves, blade length 35 cm (14 in) (7,5 teeth per 3 cm/1,2 in)	690425	660 g 23.2 oz	49 cm 12.3 in	5
96042	Replaceable saw-blade for no. 69042 	960429	20 g 0.7 oz	35 cm 13.8 in	1

Easy replacement of the blade



Cut-out saw blade for pruning and bow saws



Additional impulse treatment on the tip of each tooth ensures longer durability of the saw blade.

ACCESSORIES



Order no.	Item	EAN-CODE 4006457			
5600	Trowel Special coated metal model, width approx. 8,5 cm (3.3 in)	056009	205 g 7.2 oz	30 cm 11.8 in	10



Order no.	Item	EAN-CODE 4006457			
5610	Trowel For planting in tight containers, special coated metal model, width approx. 3,5 cm (1.4 in)	056108	175 g 6.2 oz	29 cm 11.4 in	10



Order no.	Item	EAN-CODE 4006457			
5615	Trowel Special coated forged metal, model with wooden handle, width approx. 8,5 cm (3.3 in)	056153	275 g 9.7 oz	30 cm 11.8 in	10



Order no.	Item	EAN-CODE 4006457			
5200	Asparagus and weeding knife Forged metal model, model with wooden handle	052001	230 g 8.1 oz	43 cm 17 in	6

ACCESSORIES



Order no.	Item	EAN-CODE 4006457			
5630	Hoe Double tool for weeding and hoeing, special coated forged metal model, width approx. 65 mm (2.5 in)	056306	255 g 9 oz	30 cm 11.8 in	10



Order no.	Item	EAN-CODE 4006457			
5431	Axe Forged with wooden fawn-foot handle	054319	1020 g 36 oz	41 cm 16.1 in	6



Order no.	Item	EAN-CODE 4006457			
5450	Axe Forged with wooden fawn-foot handle.	054500	1780 g 60.7 oz	74 cm 29.1 in	6

ACCESSORIES

Gardener's and florist's knives



Order no.	Item	EAN-CODE 4006457			
3820	Splicing and grafting knife Forged foldable blade with brass casing, blade length 6 cm (2.4 in)	038203	70 g 2.5 oz	11 cm 4.3 in total	6



Order no.	Item	EAN-CODE 4006457			
3750	Budding knife Forged foldable blade with brass casing, blade length 6 cm (2.4 in)	037503	70 g 2.6 oz	11 cm 4.3 in total	6



Order no.	Item	EAN-CODE 4006457			
3600	Florist knife Foldable blade made of stainless steel, blade length 6,2 cm (2.4 in)	036001	45 g 1.6 oz	10 cm 3.9 in total	6



Order no.	Item	EAN-CODE 4006457			
3859	Flower and kitchen knife Blade made of stainless steel, 50 pieces per box, blade length 6 cm (2.4 in)	038593	885 g 31.2 oz	24 cm 9.4 in total	1 (50)



Order no.	Item	EAN-CODE 4006457			
3858	Flower and kitchen knife Blade made of stainless steel, 10 pieces per box, blade length 6 cm (2.4 in)	038586	190 g 6.7 oz	22 cm 8.7 in total	1 (10)

ACCESSORIES

Bill knife



Order no.	Item	EAN-CODE 4006457			
3905	Bill knife Hot drop forged, hand sharpened, brass casing, foldable blade, blade length 6 cm (2.4 in)	039057	80 g 2.8 oz	10 cm 4 in total	6



Order no.	Item	EAN-CODE 4006457			
3910	Bill knife Hot drop forged, hand sharpened, brass casing, foldable blade, blade length 6,5 cm (2.5 in)	039101	100 g 3.5 oz	11 cm 4 in total	6

Gardener's and florist's knives are manufactured under a high quality control. For small cutting jobs in the garden and for florists, we recommend our stainless steel models no. 3600, no. 3858 and no. 3859.



The forged line (no. 3820 and no. 3750) meet the highest quality requirements of a professional user.

The forged line (no. 3905 and no. 3910) meet the highest quality requirements of professional users. The blades are forged from special steel, hardened and tempered. Grinding and sharpening by hand guarantee a perfect cut. High quality handles with casing and rivets made of brass, guarantee easy handling. All models are delivered in a transparent display wall blister with guarantee card.



ACCESSORIES





Order no.	Item	EAN-CODE 4006457			
5100	Leather sheath For all pruning hand shears, with loop for belt and metal clip	051004	115 g 4 oz	26 cm 10.2 in	6



Order no.	Item	EAN-CODE 4006457			
5120	Leather sheath For topiary shears and sheep shears, with loop for belt and metal clip	051202	155 g 5.5 oz	33 cm 13 in	6






Order no.	Item	EAN-CODE 4006457			
5707	Grinding stone Two sides with coarse-fine grade, 20 x 5 x 2,5 cm (8 x 2 x 1 in)	057075	465 g 16.4 oz	20 cm 7.1 in	1






Order no.	Item	EAN-CODE 4006457			
5706	Grinding stone Two sides with coarse-fine grade, 10 x 2,5 x 1,3 cm (4 x 2 x 0,5 in)	057068	70 g 2.5 oz	10 cm 3.9 in	6

ACCESSORIES






Order no.	Item	EAN-CODE 4006457			
5127	Saw sheath Light textile sheath with inner plastic protection, saw blades can be easily taken in and out of the sheath, suitable for the following models: 61510, 61512, 61612, 61812, 61912, 63812, 63912	051271	230 g 8.1 oz	44 cm 17.3 in	5






Order no.	Item	EAN-CODE 4006457			
5128	Saw sheath Light textile sheath with inner plastic protection, saw blades can be easily taken in and out of the sheath, suitable for the following models: 61952, 63952	051288	390 g 13.8 oz	61 cm 24 in	5






Order no.	Item	EAN-CODE 4006457			
95128	Leg strap To fix the sheath on the leg for 5127 and 5128	951281	25 g 0.9 oz	3 cm 1.2 in	1



Order no.	Item	EAN-CODE 4006457			
95129	Pair of leg straps To fix the sheath on the leg for 5127 and 5128	951298	50 g 1.8 oz	3 cm 1.2 in	1



Order no.	Item	EAN-CODE 4006457			
95127	Set with spare parts: screws and roll	951274	2 g 0.1 oz	2 cm 0.7 in	1

SMART DISPLAY

Smart display

- for a perfect presentation of the range of tools
- ideal solution for small spaces (width 75 cm / 30 in)
- incl. basket for lopping shears and telescopic handles




PREMIUM DISPLAY

Premium display

- for an attractive presentation of the full range of products

Scope of delivery:

- Presentation rack
silver-white aluminium
can be built up without tools
Height: approx. 225 cm / 89 in
(including top sign and rolls)
Width: approx. 90 cm / 35 in (four parts)
- all necessary hooks and lopping shear basket
- structure note



The **display "Premium"** can be fit with different components, incl. basket for lopping shears and telescopic handles

PRESENTATION CONCEPTS

Pedgeboard

Attractive presentation concepts:

Concepts on landscaping, forestry and gardening



Hand pruner rack

Size: 48 x 22.5 x 16 cm (18.9 x 8.8 x 6.3 in)
for 5 articles

Order no. 56190

SALES AIDS

Catalog / Booklet / Banner / Beach flags / Labels / Sticker



Catalog

Format: A4 (21 x 29,7 cm / 8.3 x 11,7 in)
 Order no.: 509.18.DE
 509.18.EN
 509.18.FR



Booklet

Format: A5 (14,8 x 21 cm)
 (5,8 x 8.3 in)
 Order no.: 35.DE.AG
 35.EN.AG
 35.FR.AG



Format: A6 (10,5 x 14,8 cm)
 (4.1 x 5.8 in)
 Order no.: 536.DE
 536.EN
 536.FR

Brochure holder

(powder-coated cage):
 no. 56178
 (e.g. for catalogs A4-size)
 no. 56179
 (e.g. for booklets A5-size)



Brochure holder

(suitable for hanging presentation):
 no. 56192 plus
 hook no. 56060



Banner

Format: 100 x 200 cm
 3.28 ft x 6.56 ft



Beach flag

S
 Height: 250 cm / 8.2 ft
 Order no.: 571.S

M
 Height: 390 cm / 12.8 ft
 Order no.: 571.M

L
 Height: 485 cm / 15.9 ft
 Order no.: 571.L



Labels

Format: 50 x 23 cm / 19.7 x 9 in; Order no.: MARK4007
 Format: 100 x 23 cm / 39.4 x 9 in; Order no.: MARK4008
 Format: 125 x 23 cm / 49.2 x 9 in; Order no.: MARK4009



Sticker

Format: 50 x 23 cm / 19.7 x 9 in; Order no. MARK4004
 Format: 100 x 23 cm / 39.4 x 9 in; Order no. MARK4005



This tool has been tested by the KWF. All tested products have received the test seal of the KWF and DLG. The KWF is a member of the certified and EU-notified German Test Center for Agricultural and Forest Machinery. It certifies that machinery and equipment safety conforms to CE standards. The KWF determines the functionality and performance of tools. Environmental compatibility, safety and health are hereby taken into special consideration.

GS (Checked Security) - an independent test laboratory has confirmed that this product agrees with the legal security requirements. A detailed construction pattern check and a production supervision has been carried out.



Replaceable cutting head: In this tool, the entire cutting head (hook and blade) can be replaced without special tools.



Replaceable hook:
In this tool, the hook can be replaced without special tools.



Replaceable blade:
In this tool, the blade can be replaced without special tools.



This tool is especially suitable for smaller hands.



Angled cutting head:
The angled cutting head reduces strain on the wrist by keeping it in a straight position.



Revolving handle:
The rolling motion across the revolving handle ensures ergonomic working. Even when the same cut is made repeatedly, it stresses the wrist at different places.



The steel blades have been coated for strong protection against corrosion, a guarantee of the durability of your quality tool, for longlasting sharpness and perfect cuts.



Transmission of force



The blade has an anti-adhesive coating, the material is very easy to clean and protected against corrosion.



Wire cutting notch/wire cutter: A small notch makes it possible to cut a wire, without having to use the blade for the purpose.



The shear body is manufactured of forged, high-grade steel.

Terms of business

Sales and Delivery Conditions

All quotations, contracts and deliveries from us are based on our sales and delivery conditions exclusively. Alternative conditions on the part of the Buyer are not binding for us, even if not expressly rejected.

Quotations

Our quotations are without engagement. The catalog forms part of our offers. The illustrations, dimensions and weights in our publications are only approximate, and are subject to change without notice. We reserve the right to modify models and styles.

Special Manufacture

We reserve the right to modify the quantities ordered for special production by plus or minus 10 %, also normal production items, which are marked or finished to Buyer's special requirements. Special orders for non-standard items may not be cancelled following our acceptance of Buyer's order. We are unable to accept the return of such items for credit or allowance.

Order Quantities

Where box quantities are shown, orders should be placed in multiples or quantities. Where variations occur the quantities will be automatically adjusted up or down.

Prices

We reserve the right to dispatch at prices ruling at date of shipment. Prices quoted by us are not binding until confirmed by us in writing. They must be regarded as work prices not including value tax or other changes.

Payment

According to special arrangements, which are stated in our offers and/or invoices. If the agreed credit period has been exceeded, we reserve the right to charge interest payable on the arrears at the rate of 5% above the prevailing bank base rate.

Delivery

Goods are delivered at Buyer's risk. We reserve the right to arrange method of transport, unless otherwise arranged and agreed.

Time of Delivery

All information given in respect of delivery period is approximate and without obligation. We reserve the right to arrange part shipments.

Property Reservation

Until full payment of all obligations on the part of the Buyer resulting from business transactions, the goods remain our property. The Buyer may dispose of the goods in the usual business-like manner. Should the customer sell goods, which are still our property, respective credit is due to our account.

Guarantee

Products undergo rigorous quality controls. Subject to proper use every item carries our guarantee. Any product, which is the subject of a justified complaint, will be replaced free of charge. Any further liability is excluded. Faulty items must be retained for our inspection, and if returned to works sent carriage paid, unless otherwise is agreed.

Return of Goods

Goods correctly supplied to the customer's order cannot be accepted for return or exchange, unless by prior agreement in writing, when a 20 % handling charge will be made. Settling Place and Place of Competency is the place of our company for delivery, payment and competency of justice in case of dispute.

July 2018

BERGER

made to cut. 1919

JULIUS BERGER GmbH & Co. KG
Werkzeugfabrik
Kohlfurther Straße 4-6
42349 Wuppertal

T: +49 (0) 202 / 247 59 - 0
F: +49 (0) 202 / 247 59 - 30

info@bergertools.com
www.bergertools.com

